The MAYFLOWER& Floral NotesMassade

A Joint Publication Massachusetts Flower Growers' Association & UMass Extension

December 2014

Winter Flower Growers' Meeting January 27, 2015 King Farm Inc., 15 Scales Lane, Townsend, MA Sponsored by the Massachusetts Flower Growers' Association and

Sponsored by the Massachusetts Flower Growers' Association and University of Massachusetts Extension Greenhouse Crops and Floriculture Program Special Feature: Allied Trade Tables

8:30-10:00	Open Houses King Farm, www.kingfarminc.com/ The Flower Hutch, www.flowerhutchma.com/, 42 Bayberry Hill Rd., Townsend		
9:30	Registration: Complimentary Coffee		
10:00	Welcome: Jason Hutchins- President MFGA, Dana and Bart King, King Farm		
10:10-11:00	The Best 10 New Varieties and How to Successfully Grow Them Jason Twaddell, Selecta- Ball FloraPlant Jessica Boldt, Production R&D Manager, Pleasant View Gardens		
11:00-12:00	Value-added Products and Services for Garden Centers: What Works and What to Consider Dee Dice, Constant Growth, Marketing and Consulting, MA		
12:00-1:00	Catered Lunch – Reservations requested by January 23 th		
	MFGA Annual Meeting Jason Hutchins, The Flower Hutch and Bob Luczai, MFGA Plant Something Marketing Update Henry Gillet will provide an update on legislative issues affecting our industry.		
1:00-1:30	Technology Tools to Help Your Business (Panel)		
1:30-2:20	*Disease Diagnostic Test Kits for Greenhouse Crops Janet Lamborn, Agdia Inc.		
2:20- 2:50	*Pest Management Update for Spring Greenhouse Crops Tina Smith, UMass Extension Greenhouse Crops and Floriculture Program		
2:50 - 3:15	*Genetically Modified Organisms (GMO's): Answering Customer's Questions Geoffrey Njue, UMass Extension Greenhouse Crops and Floriculture Program		

* Two pesticide credits for attending program from 1:30-3:15 PM

For more information contact: Bob Luczai, MFGA (781)275-4811 or Tina Smith (413)545-5306, UMass Extension Greenhouse Crops and Floriculture Program.

Winter Flower Growers' Program registration form can be found on the last page of this newsletter (Lunch reservations are due January 23, 2015).



Association News

Massachusetts Flower Growers' Association Growers of Quality Plants and Flowers

New Levels of MFGA Membership

The Massachusetts Flower Growers' Association (MFGA) has added **2 new** levels of membership (see the existing membership levels below) for people who wish to participate and receive information on all of the activities offered by the association. These memberships allow an individual who does not have an active business that produces Massachusetts Grown flower and plant products but has an interest in our industry, to be connected with others in this States' largest agricultural industry.

New-MFGA Supporter: This membership is for a person who does not have an active business of producing and selling Massachusetts floricultural products or have a direct allied trade business that supports the industry. The cost of the membership is **\$40 per year**. A participant will receive the combined MFGA Newsletter, the Mayflower, **and** the University of Massachusetts newsletter, "Floral Notes". These Newsletters provide the latest information on educational programs and activities offered by the association and the University of Massachusetts Floriculture Extension Program. The newsletters will be sent to members electronically.

New-Student Membership: Any student who is a currently enrolled in a school for the study of floriculture or a related agricultural program and is interested in participating in our industry, now or in the future, may join at this level for **\$25 per year**. The student will receive the combined MFGA Newsletter, the Mayflower, **and** the University of Massachusetts newsletter, "Floral Notes". These Newsletters provide the latest information on educational programs and activities offered by the association and the University of Massachusetts Floriculture Extension Program. The newsletters will be sent to members electronically.

Both memberships will be eligible to attend all MFGA sponsored educational meetings. All applications for membership are reviewed for approved by the MFGA Board of Directors.

Existing Membership Levels and eligibility requirements

Active Membership: Active membership shall be open to all persons within the Commonwealth of Massachusetts who own or lease 1,000 sq.ft. of greenhouse space (example: 20 x 50 sq.ft. greenhouse), or a minimum of 1/2 acre of land outdoors, devoted to the commercial production of plants and/or flowers.(Example: growers and retailers, who produce and market bedding plants and/or spring plants, Holiday & potted plants, cut flowers (greenhouse or outdoors), perennials, herbs). They can be wholesale growers, garden centers, farmers and farm stand operators or landscaping businesses.

Associate Membership: Associate membership (or Allied trade membership) shall be open only to any person or business interested in the flower/plant industry and **do not own or lease** in Massachusetts, more than 1,000 sq.ft. of greenhouse space or more than 1/2 acre of land outdoors, devoted to the commercial production of plants and/or flowers. Businesses or persons outside Massachusetts who actively grow and market floricultural crops are eligible to join at this level.

Also to all persons or concerns outside of Massachusetts who wish to participate. No individual or firm who qualify for active membership may apply for associate membership. (This category is typically those persons or businesses who support the floriculture industry with products for growing or marketing plants and/or flowers, and persons or concerns within or outside Massachusetts who wish to participate in the association)

To receive an application for any membership level, please contact the MFGA office at:

Massachusetts Flower Growers Association 8 Gould Road Bedford, Ma. 01730 bluczai@massflowergrowers.com

Complying with EPA Worker Protection Standards (WPS)

Tina Smith, Extension Educator UMass Extension Amherst, MA

(**Note:** This article was prepared with input from by Natalia Clifton, UMass Extension Pesticide Program. Also, please note: U.S. EPA has proposed changes to the EPA Worker Protection Standard. The current WPS requirements are below. You should expect changes to these regulations in 2016.)

EPA Worker Protection Standard (WPS) regulations are designed to reduce poisoning and injuries among agricultural workers and pesticide handlers. They regulate pesticide use and require that workers and pesticide handlers be given appropriate training, equipment and information. Growers are required to provide personal protective equipment (PPE); restrict entry to treated areas; provide notification of pesticide applications; post specific information regarding pesticide applications (what, where and when); assure that workers have received safety training; post safety information; provide decontamination supplies; and provide access to emergency assistance when needed.

State agencies generally have primary jurisdiction for enforcing WPS misuse violations. To come into compliance, contact the UMass Extension Pesticide Education Program or the use the EPA website www.epa.gov/pesticides/health/worker.htm. WPS Train-the-trainer workshops will be held this spring (2015) by UMass Extension.

In Massachusetts growers of greenhouse crops who apply restricted pesticides are required to have a valid pesticide certification issued by the Massachusetts Department of agriculture. This pesticide certification also fulfills the requirement for EPA WPS pesticide handler training.

Growers of greenhouse crops are not required to be certified if they apply "general use" and/or OMRI approved pesticides. However, growers do need to be trained as a pesticide handler to comply with the EPA Worker Protection Standard (WPS). Pesticide handlers either must have a private pesticide certification, or be trained as a handler. The person who conducts handler training must: currently be a certified applicator of restricted-use pesticides (in any category of certification), or currently be designated as an EPA WPS trainer of pesticide handlers by having completed an EPA WPS pesticide safety train-the-trainer program. Handlers must be trained at least once every 5 years, counting from the end of the month in which the previous training was completed, unless they are certified applicators.

In addition to handler training, workers must also be trained to comply with WPS. Untrained workers must be provided with basic pesticide safety information **before** they enter a pesticide-treated area. Information must be provided in a manner that the untrained workers can understand and must be able to verify that this training was provided.

The basic pesticide safety information must include the following:

- Pesticides may be on or in plants, soil, irrigation water, or drifting from nearby applications.
- Prevent pesticides from entering your body by:
 - Following directions and/or signs about keeping out of treated or restricted areas,
 - Washing before eating, drinking, using chewing gum or tobacco, or using the toilet
 - Wearing work clothing that protects the body from pesticide residues,
 - Washing/showering with soap and water, shampooing hair and putting on clean clothes after work,
 - Washing work clothes separately from other clothes before wearing them again, and
 - Washing immediately in the nearest clean water if pesticides are spilled or sprayed on the body and, as soon as possible, showering, shampooing, and changing into clean clothes.
- Further training is required before the start of the sixth day.

WPS training materials for both handlers and workers are available as videos, flip charts, etc. from companies such as Gempler's.

Reference: US EPA How to Comply with the WPS Manual



A Publication of the UMass Extension Greenhouse Crops & Floriculture Program

Floral Notes Newsletter

Volume 27, No. 3 http://extension.umass.edu/floriculture

November-December 2014

In This Issue

Plant Nutrition and Organic Certification for Greenhouse Crops	2
New Insecticides, Miticides & Herbicides for Greenhouse Ornamentals	3
Properly Inflate Your Double-Poly Greenhouse to Save Energy and Improve Light Transmission	5
Getting Started Using Biological Control in Greenhouses - Selecting a Supplier of Biological Contro Agents	
Preventing Rodent Damage in the Greenhouse	7

Nancy Garrabrants Retires

Nancy Garrabrants recently retired after 34 years of service as floriculture teacher, Director of the Stockbridge School, and Director of UMass Extension. To many readers Nancy is best known for her love of teaching and her excellent courses in retail floral design and herbaceous perennials. She was a tireless advocate for the Stockbridge School and touched the lives of many students during her career. Nancy ended her career working with 4-H and food and nutrition extension programs. After leaving UMass she would like to take up teaching again. Nancy, best wishes!

New Smart Phone Web App by UMass Extension

Greenhouse Disease Guide Smart Phone Web App (Mobile optimized website app to be used with your browser on smart phones and other devices)

See: http://greenhousediseaseguide.umass.edu/

Our new Greenhouse Disease Management App for commercial growers of greenhouse crops and flowers was created by Bess Dicklow, University of Massachusetts Plant Diagnostic Lab and Tina Smith, University of Massachusetts Extension. This mobile optimized website app is a disease management reference guide that contains options for using biological control, organic and conventional pesticides. Partial support for this project provided by the New England Florist Association Floriculture Applied Research Fund. For questions or comments about this app, contact: Tina Smith, UMass Extension at (413)545-5306 or email tsmith@umext.umass.edu

Plant Nutrition and Organic Certification for Greenhouse Crops

February 26, 2015 10:00 AM - 1:30 PM D&D Farms Inc. Stow, MA

9:30-10:00 Registration

10:00-11:00 Fertilizing Container Grown Crops with Water Soluble Fertilizers Dr. Rosa Raudales, University of Connecticut

Rosa will review the use of water soluble fertilizers for spring crops grown in greenhouses. Most problems with greenhouse crops are a result of improper fertility. Rosa will take us to think beyond "General Purpose" to discover why every operation should design its own nutrition program. After this presentation you will know how to select fertilizers, how to identify and manage nutritional disorders, and how to use nutrients to control plant growth.

11:00-12:00 **Growing Spring Crops Using Organic Fertilizers** Dr. Douglas Cox, UMass Extension

Doug has been testing commercially available organic fertilizers on spring floriculture greenhouse crops for several years. Now you get to benefit from his experiences and research results. Thinking beyond fish emulsion, learn about products including water-soluble and slow-release organic fertilizers that can be used to grow annuals and bedding plants and how best to use them.

12:00-12:30 Lunch

12:30-1:30 **Organic Certification for Greenhouse Container Crops** Don Persons, Certification Administrator, Baystate Organic Certifier

Many growers of spring greenhouse crops are using natural enemies to manage insects and mites and biological control to manage diseases. Put this together with the use of organic growing media and fertilizers and some growers may be interested in organic certification for spring crops such as herbs or vegetable transplants. Learn about what it is needed for organic certification in this informative session.

For more information contact:

Tina Smith, Univ. of Mass, Amherst (413)545-5306, tsmith@umext.umass.edu

Geoffrey Njue, Univ. of Mass, Cranberry Exp. Station (508)295-2212 ext. 47 gniue@umext.umass.edu

Bob Luczai, Massachusetts Flower Growers Assoc., bluczai@massflowergrowers.com

Registration is \$30 per person and includes lunch and handouts. Make checks payable to University of Massachusetts.

New Insecticides, Miticides & Herbicides for Greenhouse Ornamentals

Compiled by Tina Smith, UMass Extension, Greenhouse Crops and Floriculture Program

If you didn't purchase a copy of the new 2015-16 New England Greenhouse Floriculture Guide at the Northeast Greenhouse Conference then you can order one for \$40 per copy via the Northeast Greenhouse Conference website (www.negreenhouse.org) or from the UMass Extension publication office http://extension.umass.edu/floriculture/.

The New England Greenhouse Floriculture Guide is updated every two years by floriculture faculty and staff from the six New England State Universities, and is published by New England Floriculture, Inc. Greenhouse growers in New England and New York have long relied on the guide, for its unbiased, detailed information about insect and mite management, disease prevention and management, weed control, and plant growth regulation.

Here is a summary of some of the new products (active ingredients) for managing insects and mites in greenhouses. Information was compiled from the label and company websites.

Grandevo PTO

Active Ingredient: *Chromobacterium substsugae strain PRAA4-1* (Microbial insecticide) OMRI listed (can be used in organic production). Signal word: Caution Re-entry interval: 4 hours Grandevo PTO is labeled for ornamentals and edible crops. Labeled pests: Aphids, mites, numerous Lepidoptera species, thrips, mealybugs and whiteflies. See the label for a more detailed listing.

Grandevo works primarily as a stomach poison, so it must be ingested by insects and mites to be effective. It does not have systemic activity; therefore, it must be on the feeding surfaces to be effective. Like other stomach poisons, excellent plant coverage is necessary, so use plenty of water and pressure to get complete coverage. Grandevo is more effective on newly hatched larvae and nymph stages of insects and arthropods, so regular scouting and early applications are necessary for good control.

Rycar

Active Ingredient: Pyrifluquinazon Signal word: Caution Re-entry interval: 12 hours Mode of Action: Unknown Labeled pests: Whiteflies, aphids, leafhoppers, chili thrips and mealybugs on limited ornamentals.

Rycar works through contact, by ingestion and is translaminar. It stops insects from feeding fast and death occurs in a few days. The Sepro website reports Rycar is also very gentle on both beneficial insects and pollinators.

XXpire

Active Ingredients: spinetorum and sulfoxaflor Re-entry interval: 12 hours Signal word: Caution REI: 12 hours XXpire is labeled for ornamentals in greenhouses, nurseries and landscapes. Labeled pests: Aphids, caterpillars, mealybug, scale, thrips, whiteflies and mite suppression

Spinetorum is a contact and stomach poison and sulfoxaflor works by contact, systemic and translaminar activity. Spinetoram is devived by chemically modifying naturally occurring spinosyns J and L, and is a Mode of Action, Group 5 insecticide, like spinosad. Isoclast (sulfoxflor) belongs to a new class of insecticides – sulfoximes, Mode of Action 4C.

XXpire is highly toxic to bees exposed through contact during spraying and while spray droplets are still wet. Toxicity is reduced when spray droplets are dry. This product is toxic to bees exposed to treated foliage for up to 3 hours following application. Do not apply this pesticide to blooming, pollen-shedding, or nectar producing.

Sultan Miticide

Active Ingredient: cyflumetofen Signal word: Caution Re-entry interval: 12 hours Mode of Action: Group 25 (new group)

Sultan has rapid contact activity, not translaminar movement and up to 28 days control for all life stages (eggs, nymphs, adults) of two-spotted mites.

BASF reports low toxicity to beneficial insects, including predatory mites and pollinators.

Ecotec

Active Ingredients: Rosemary oil and Peppermint oil OMRI listed (can be used in organic production) Signal word: Caution For use on any plants grown in greenhouses, shadehouses, interiorscapes and nurseries. Labeled pests: Aphids, beetles, caterpillars (early stages), fungus gnats, shore flies, leafminers, mealybugs, soft scales (crawler stage), thrips and whiteflies.

Ecotec is a broad spectrum, contact insecticide/miticide. Thorough coverage is needed.

Mainspring

Mainspring is not listed in the greenhouse floriculture guide (was not registered at the time of editing) and not yet registered in Massachusetts (as of October 1st) however, it is expected to be registered soon.

Active Ingredient: Cyantraniliprole Signal word: None, least toxic category Re-entry interval: 4 hours Mode of Action: Group 28

Mainspring is labeled for foliar and systemic insect control on ornamental plants in greenhouses, trees and shrubs and interior plantscapes.

Labeled pests: Aphids, caterpillars, thrips and whiteflies. Depending on the pest, it can be used as a spray or drench.

Mainspring has translaminar and systemic activity. Through translaminar and locally systemic movement, it penetrates the plant cuticle to form a reservoir of the active ingredient when applied as a foliar treatment. In drench applications, the active ingredient is taken up by the roots through systemic movement within the xylem and moves throughout the plant. Mainspring selectively activates the ryanodine receptor in insect muscles, resulting in paralysis and rapid inhibition of feeding and other key physiological functions. As a result, insects stop feeding and become irreversibly paralyzed shortly after ingestion. Plant damage is minimal since feeding quickly stops after pests ingest the treated plant material. Pest death can occur within two to seven days, depending on the target pest.

Mainspring is toxic to bees exposed to direct treatment on blooming crops or weeds. Literature from Syngenta states that Mainspring is not disruptive to biological control practices and does not adversely affect natural predator and parasitoid populations.

New Pre-emergence Herbicide for Greenhouses

Some growers will be please to know that there is now a pre-emergenece herbicide available for greenhouses. Indaziflam (Marengo®) is labeled for use on greenhouse floors in **empty greenhouses**. You must wait 24 hours before introducing plant material into the empty greenhouse after applying this material.

Properly Inflate Your Double-Poly Greenhouse to Save Energy and Improve Light Transmission

Geoffrey Njue, Extension Educator, UMass Extension, East Wareham

Double Polyethylene (Poly) coverings reduce heating costs by about 50% compared to single poly coverings. However if the double-poly coverings are not well inflated with air the benefits of having two poly layers becomes non-existent. Making sure that your double-poly greenhouse is properly inflated is critical to maximizing the insulation value of the covering. Properly inflated double-poly also improves light transmission and increases the life span of your poly covering.

Before the start of the season check your poly houses for holes and tears on the poly covering. Repair all small tears and small holes with poly tape before they become too big. Check the inflation blowers and fans to make sure that they are working properly. Clean the inflation fans if necessary.

The space between the two layers of plastic should be filled with outside air. This creates a "dead air space" that provides good insulation and prevents heat loss from the house. It is important to use outside air because it is colder and less humid. Air inside the greenhouse is warm and moist and if used to inflate the double poly, condensation can occur in between layers and reduce light transmission. It is important to maintain uniformity between the poly layers from one end of the house to the other. Follow the recommendations of the manufacture of the inflation blower or fan to ensure uniform air space and pressure between the poly layers from one end of the house to the other. Well inflated double-poly greenhouse is taut and smooth increasing its strength.

Getting Started Using Biological Control in Greenhouses -Selecting a Supplier of Biological Control Agents

Tina Smith, UMass Extension Greenhouse Crops and Floriculture Program

Many growers in Massachusetts are successfully using natural enemies (beneficial insects, mites, nematodes and other organisms) as an alternative to pesticides to manage pests in greenhouses. To use natural enemies, a good scouting program is critical. It is also important to phase out the use of pest control materials that may be harmful to beneficials. For more information on the compatibility of pest control materials with natural enemies refer to on-line databases, such as Koppert, Inc., (www.koppert.com)or Biobest (www.biobest.be). Check under "Side Effects."

Beneficial predators and parasitoids should be released early in the crop before pests build to outbreak levels. Beneficials should not be released onto plants previously treated with pesticides because the residue will be toxic to them. If you are new to using biological control and want to use them in your greenhouse for the spring crop season, then plan now! Read up on using biologicals from the list of fact sheets (some with videos) on our website: http://extension.umass.edu/floriculture/fact-sheets/pest-management

Contact suppliers/distributors of biological control agents early, before the spring growing season. Most companies offer assistance to get you started and will help with rates of release. Other considerations include having someone available when shipments arrive and checking shipments for viability (remember they are living organisms).

Here is a partial list of suppliers or distributors of natural enemies used by greenhouse growers in Massachusetts:

IPM Laboratories, Inc., Lock NY, www.ipmlabs.com Contact: ipminfo@ipmlabs.com 315-497-2063

Syngenta Bioline, CA, www.syngentabioline.com Contact: info@syngentabioline.com 805-986-8265 or 978-851-4346 (Griffin Greenhouse Supply)

Koppert Inc. MI, www.koppert.com Contact: info@koppertonline.com, 800-928-8827

Biobest Biological Systems. www.biobest.be Contact: info@biobest.ca or info@biobest-usa.com 519-322-2178, or 855-224-6237.

Beneficial Insectary, CA, www.insectary.com, www.greenmethods.com Contact: info@insectary.com, 1-800-447-3715

Applied Bionomics, BC Canada, www.appliedbio-nomics.com Contact: brianabl@telus.net, 250-656-2123

Preventing Rodent Damage in the Greenhouse

Geoffrey Njue Extension Educator UMass Extension East Wareham

Rodents can cause a lot of damage in the greenhouse. They can feed on germinating seed and young plants as they emerge from the soil. Rodents also feed on roots, bulbs, shoots and leaves of many plants in the greenhouse. They can also chew holes on plastic pots and create tunnels through the growing media. For those growing fresh produce in the greenhouse such as salad greens, micro-greens, tomatoes etc., rodents can create food safety concerns because of possible contamination. FDA food safety regulations require growers to take effective measures to exclude rodents from finding entry into the greenhouse.

It is important to determine the species of the rodent causing problems in your greenhouse. The most common rodent pests in the greenhouse in Massachusetts are the white-footed mouse and the meadow vole. Chipmunks may also sometimes find their way into the greenhouse.

White-footed mouse. The white-footed mouse has white feet, white underside and brownish upper surface. They also have relatively large eyes and ears. They are nocturnal and omnivorous but their diet consists largely of seeds, nuts and berries. White-footed mice are excellent climbers and often forage in trees. In the greenhouse they cause damage by feeding on germinating seeds.

Meadow voles. Meadow voles are about 5½ to 7½ inches long (including tail length). The fur has variable color ranging from grey to yellow-brown with black tipped hairs and a bicolored tail. They are usually found in grassy areas. They are active at all hours but are most active early morning and late afternoon. They are generalist herbivores and largely subsist on vegetation including shoots, roots and grass. They mainly damage plants above the soil. In the greenhouse they cause damage by feeding on shoots of young plants.

Chipmunks. Chipmunks are small underground squirrels with five black stripes and two light stripes along the back. The belly is white and the tail is flattened. They undergo hibernation during the winter in burrows and emerge in the spring and are active during the day. Sometimes they emerge from their burrows and forage above ground on warm winter days. They feed mostly on seeds, nuts and fruit. They are sometimes common visitors in the greenhouse in the spring where they feed on germinating seeds.

Rodent-proofing. The first step to control rodents in the greenhouse is exclusion or rodent proofing your greenhouse. Some of the rodents such as mice can get in through and opening as small as ¹/₄ inch. Use fine mesh screen around the perimeter of the greenhouse at least 6 inches deep and bend outward at a 90^o angle.

Sanitation. Sanitation will also do a great deal to control rodents. Clean up the natural vegetation close around the greenhouse. Remove debris such as plant matter, trash, and piles of

waste lumber or abandoned appliances. Do not stack firewood near the greenhouse. These provide good harborage for rodents. Do not store bird seed, pet food, or seeds in the greenhouse. Keep trash cans in the greenhouse covered (keep the lids on).

Traps and baits. If rodents are already in the greenhouse trapping can be effective if the populations are low. Traps are effective non-toxic methods of rodent control. The most common traps include the snap traps and the glue board traps. Traps should be set with a good understanding of the behavior of the rodents. Rodents are creatures of habit and prefer to follow the same runways they usually use. Identify the runways and place the traps there. Use baits for on the traps to attract the rodents: peanut butter or uncooked oatmeal for mice or a piece of an apple for voles (Cortland apple works best). Wear gloves when placing the trap so that the rodents would not smell human scent.

If trapping fail to reduce the population one can use toxic baits (rodenticides) which are more effective in controlling the rodent population. The Rodenticide baits include Zinc phosphide and anticoagulant baits.


For more information on controlling rodents in the greenhouse access the UMass Extension factsheet on preventing rodent damage to overwintering perennials at:

http://extension.umass.edu/floriculture/fact-sheets/preventing-rodent-damage-overwintering-perennials

UNIASS Greenne	buse Crops and Fioric	culture Extension Program	P
Douglas	Cox Floral Notes Editor	dcox@umass.edu	
Geoffery Nju	e Extension Specialist	gnjue@umext.umass.edu	
Tina Smith	Extension Specialist	tsmith@umext.umass.edu	
Six monthly	issues of Floral Notes By e	mail are published yearly.	

Subscription (2 years) is \$5. Contact Doug Cox for more information.

Use of trade names in this publication does not imply endorsement of products named or criticism of those not mentioned. The user bears sole responsibility for correct and legal product use.



Kathleen E. Connolly 617.457.4096 kconnolly@murthalaw.com

Murtha Cullina LLP | Attorneys at Law | www.murthalaw.com



CELEBRATING 75 YEARS

280 Hillside Avenue, Needham, MA 02494 781-455-0200 FAX 781-455-0202 www.aageorgecpa.com

Accounting and Tax Services Personal Tax Planning Personal and Business Tax Preparation Payroll Processing Financial Statement Services Audits Reviews Compilations

Business Consulting Business Formation Capital Decision Analysis Computer Consulting Pension and Profit Sharing Plans Estate Planning



SPRING BULBS EASTER LILIES CINERARIA PANSIES HERBS BEDDING PLANTS



HANGING BASKETS PERENNIALS ANNUALS FALL MUMS CABBAGE KALE

Celebrating 94 Years in Business! WHOLESALE GROWER OF PREMIUM FLOWERING PLANTS. Contract Growing & Prefinished Orders

590 SOUTH STREET EAST | RAYNHAM | MASSACHUSETTS | 02767 P | 508-822-1151 OLSONSGREENHOUSES.COM 508-824-3014 | P



Annuals, Perennials, Accent Plants, Geraniums, Hanging Baskets, Combinations, Spring Bulbs, Pre-Finished Plant Material, Fall & Poinsettia Crops


Dana & Barbara King Bart King 15 Scales Lane Townsend, MA 01469 Tel. (978)-597-2866 Fax (978) 597-0262

www.kingfarminc.com Call, Fax or visit our website for availability





Berkeley Florist Supply Company Elgreen Orchid – Boston Chester Brown Wholesale Florist Cupp & Cupp Corporation Fall River Florist Supply Hunter Gallery Design Kelley Wholesale Florist, Inc. Tropiculture Quinlan Wasserman, Inc. Riccardi Wholesale R.J. Carbone Company Tommy Wholesale Products FleuraMetzUSA www.thebostonflowerexchange.com





Your Source For Quality Starter Plants, Prefinished and Finished Materials

Starter Rooted Cuttings & Annual Plugs Everything from A-Z. Request a catalog today!

Prefinished Potted Crops and Hanging Baskets Potted Crops and Hanging Baskets

> Finished Spring & Summer Annuals Potted Crops, Hanging Baskets 806 Flats and 306 Market Packs

Finished Perennials Gallons, Quarts, and Premium Quarts

Finished Fall Crops Mums, Asters, Annuals, Perennials, Grasses, Ornamental Kale & Cabbage

Five Acre Farm Greenhouses 108 Hinsdale Rd., Northfield, MA 01360 #800-221-2049 tel #413-498-2051 fax www.fafgrowers@verizon.net

Representing Fine Growers of Quality Plant Material

- Annual & Perennial Plugs
- Prefinished & Finished Plants
- Plug & Ship
- Bedding Plants
- Proven Winne

> Holid

Example Vering Plants

Eastern Massachusetts Joseph Giannino 17 North Road East Kingston, NH 03827 (888)948-2001 Fax(603)580-1771 (860)6 Email – jgiannino@comcast.net Er www.josephgiannino.com

Western Massachusetts Steve Calautti PO Box 3803 Manchester CT 06040 (860)645-1028 FAX(860)645-1117 Email - sgcalautti@aol.com

Get what you want, when you need it!

• Terrific line-up of the best annuals, perennials, cut flowers & vegetables including Burpee Home Gardens® varieties

• Ball Controlled Growth™ seed

- "In By 5 CST, Out By 7" rush seed service
- Extensive list of prefinished products • Punch 'N Gro® plug & liner

transplanters

• The best Plug & Plant networks in the industry

• Ball Professional Growing Mixes • Ball WebTrack^{5M} Plus online ordering

24-7 at ballseed.com

© 2011 Ball Hontadural Company 11582 ** denotes a tenitorina koti, ¹¹⁴ denotes at rademark of and ¹⁸ denates a registered tradem of Ball Annotatical Company informatics. It may also be registered in other countries PUNCH *N GPO is a register efficience of Faginea Greenhouses, Inc. Call your Ball Seed sales rep or 800 879-BALL today.

Eastern Massachusetts Bob Luczai 508 935-8264 bluczai@ballhort.com

Western Massachusetts Mitchell Rand 203 453-5567 mrand@ballhort.com

Northern New England Lynne Blye 603 724-1361 lblye@ballhort.com


BallSeed.

Greenhouse Systems

New construction Heat/Shade Systems Benching Systems

Phil Zapadka 102 Lisbon Rd. Canterbury, CT 06331 Repair and Renovation Irrigation Project Management

860.208.1305 greenhousesystemsct@gmail.com



Winter Flower Growers' Meeting Registration Form

Names
Firm
Address
Registration includes AM coffee & lunch! Lunch reservations by January 23.
Make check payable to and return to: MFGA, 8 Gould Rd., Bedford, MA 01730 One Registration x \$45.00/person =
Two or more registrations x \$40.00/person =
Allied Trade Table Show (1) 6' table x \$40 per table =
Total =
MFGA Fax: (781)275-8668